



Revisions	

KEY:

- Microasphalt to CI 918 of the Specification for Highway Works. PSV = 60, AAV = 14
- Plane off 30mm concrete. Patch repair - AC6 dense surf 100/150 to CI 909. Thickness = 30mm
- Kerb repair/replacement

Notes:

Chainage 000 is situated 5.9m from Perrys Lane channel line

Existing channel blocks or sets are not to be overlaid with microasphalt

Existing lining and road markings to reinstated subsequent to completion of the surfacing works.

The surfacing material has been identified as potentially hazardous

This map is reproduced from Ordnance Survey material with the permission of Ordnance Survey on behalf of the Controller of Her Majesty's Stationery Office © Crown copyright. Unauthorised reproduction infringes Crown copyright and may lead to prosecution or civil proceedings. Swindon Borough Council 100024296 (2020).



Highway Design,
 Wait Tyler House,
 Princess Street, Swindon,
 SN1 2JG,
 Telephone (01793) 445500

HIGHWAY DESIGN

Project:
**MAJOR MAINTENANCE 2021/2022
 MINOR ROADS – MICROASPHALT**

Title:
**HICKS CL – WROUGHTON
 SURFACING DETAILS**

Scale	Drawn	Checked	Date
N.T.S	MSW	DSW	MAR 21
Drawing no.	Revision		
HD/ 2021/001/017/DR/01	DRAFT		

A3